Work Orde April-25-13 1:3	-ر- -ر-	51			*10(1651*						Page 1
Item ID: Revision ID: Item Name:	D4060-1 Ski Clamp, Top		(d)	lo.	Accept	*N900	040	100)* s	etup Star Stop	I VI	S1* S2*
	4/25/13 St	tart Qty: 40.	1	*40* *40*		Cust Item I Customer:	D:		·		IN	.
Approvals:	Process Plan:		Date:		Tooling:	D:	ate:	_	R	tun Star	1/1	R1*
	QC:		Date:		SPC (Y/N):	Da	ate:	,		Stop	*N	R2*
Sequence ID/ Work Center II	_	peration escription			Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revisio	n Nbr										Q. 1. L. 1
D4060	Α		-									
100					0.00							
100 Purchasing Purchasing		Memo Issue Pa Manufa	O: <u>1970</u> octure as per Dw	/ § D4060	0.00				Co	(13/0	1/25	· 60
		Supplie Certific	r: G.F.I ate of conformit									
110	Re	ceive & Inspect f	or Damage & M	at'l Certs	0.00							/ /

0.00

Memo

110 Packaging

Packaging

Ouality Control

MF 5-2

April-25-13 1:30:45 PM

Work Order ID:

100651

Parent Item:

D4060-1

Parent Item Name:

Ski Clamp, Top

Start Date: 4/25/13

Required Date: 4/29/13

Start Qty: 40.00


Required Qty: 40.00


Comments:

IPP Rev:A new issue DD 10.02.16 verified by:EC

Comments.	11 1 110 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-,,									
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4060-1P		Purchased	No			110	Each	0.0000	1	> %/	~ ~		
Ski Clamp Ton											$U_{}$		

/U13/s/21 (60)





D4060-1 412 SKI CLAMP, TOP

D4060-3 412 SKI CLAMP, BOTTOM

D4060-5 412 SKI CLAMP, AFT


CX13/04/25 W10:100651


D


NOTES: 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, 14 GAUGE (0.078 THICK) PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240 REF. DART SPEC. M304S14GA

REF. DART SPEC. M304S14GA
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART PIN "D4060-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: D4060-1 = 0.20 lbs, D4060-3/-5 = 0.12 lbs

A NEW ISSUE 10.03.31 REV. DESCRIPTION DATE DESIGN DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWN DRAWING NO. CHECKED REV. A D4060 MFG. APPR. SHEET 1 OF 4 TITLE APPROVED 412 SKI CLAMP DE APPR. THE CONTROL TO SET THE CONTROL OF TH DATE 10.03.31









Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19701

Purchase Order Date 4/25/13 PO Print Date 4/26/13

Page Number 1 of 1

Order From:

GFI

180 AVENUE LABROSSE POINTE CLAIRE, QC H9R 1A1

CA

Contact Name

Vendor Phone

514 630 4877

Vendor Fax

514 630 4849

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30 CAD

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7

VC-GFI001

CANADA

date

Line Nbr Reference **Revision ID**

Vendor Part Number

Description/ Mfg ID

Req Date/

Req Qty/ Taxable Unit of Measure

Ship Method

FedEx PI collect

Unit Price

Extended

Price

D4060-1P

Ski Clamp, Top

5/16/13 Yes 60.00 Each

\$17.0000

\$1.020.00

Special Inst

AS PER DWG D4060 REV. A

B100651

PO Total:

\$1,020.00

CERTIFICATE OF CONFORMITY REQ'D UPON DELIVERY

REQ'D UPON DELIVERY

Juage Date: 4/26/13

No substitution or deviation without consent.

Certificate of Conformity of Material Certification required YES NO ·

Change Nbr:



180 AVENUE LABROSSE POINTE-CLAIRE, QC, CANADA H9R 1A1 TÉL.:(514) 630-4877 - FAX:(514) 630-4849



BON DE LIVRAISON / SHIPPING MEMO

DATEDELIV	RAISONISHI	PPING DATE	N°DEBO	N'DE LIVRAISON	PAGE
JR DY	MO-MO	AN YP	SHIPPII	NG MEMO NO	
15	05	13	05	13565	1/1



GFI est une division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing Inc.

VENDU À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 EXPÉDIÉ À I-SHIP TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

MFG. JOB# JOL67759-001 QTY 56 QCS. DUB DATE: 16 May 1010	DART	GFI-02	.1 .	267759		P019	701			
MFG. JOB# JOZ67759 - 001 OTY 56 pcs. DUE DATE: 10 May 2013	GUANTITE GUANTITY		N°DE PAR	PIECE FAIC				DESCRIPTION		
MFG. JOB# JOL67759-001 QTY 56 pcs. DUE DATE: 16 May 2013	56	D4060-1P				SKI	CLAMP TOP			
MFG. JOB#_JO167759-001 OTY 56 pcs. DUE DATE: 16 May 2013 Att										
DUE DATE: 10 May 2013						COF	C REQ'D			
DUE DATE: 10 13		8							1	
DUE DATE: 10 May 2013					.,		* 4		٠	
DUE DATE: NO HAY 2013					· ·					
AL		MFG. JOB# $\sqrt{1}$	026775	100 - P	y 56 pcs	-				
Att		DUE DATE:	May	2013						
			COMPROLE) A	K						
	· .	,	01: 200	د						
				·	:					
	,									
	,							· ,		
					•					
		•		. *			`	,		
		·		. •				•		

REÇU PAR / RECEIVED BY

DATE

CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE



180 LABROSSE AVENUE POINTE CLAIRE, QC H9R 1A1 DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

CERTIFICATE NO. 5 OUR JOB NO	J0267759	SHIPPING MEA	MO 0513565	
ITEM QUANTITY PURCHASE ORDER	PART NUMBER	REV	NAME	DWG ISSUE
1 56 PCS PO19701	D4060-1P	A	SKI CLAMP TOP	
MATERIAL	SUPPLIED BY		MAT. REL.	NO.
.078 THK 304 ANN TWMETA AMS 5513	LS/NORTH AMERICA	AN STAINLESS	951	020
PROCESS			CESSOR	RELEASE NOTE #
FIRST ARTICLE INSPECTION REPORT	A DENTES AND SERVICE STATE OF THE SERVICE SERV	District Assessment Viscosity	GFI	N/A
2 REF. GFI MANUFACTURING JOB NUMBER J	0267759-001 (56 PCS)		GFI	N/A
3				
4				1000年,1000年 1980年,100日
5				
7				
8				
9				Marie Company

WE HEREBY CERTIFY ALL THE PARTS COVERED BY THIS CERTIFICATE HAVE BEEN MANUFACTURED FROM MATERIAL SUPPLIED ON RELEASE NOTE SHOWN ABOVE AND THAT ALL PARTS HAVE BEEN INDIVIDUALLY INSPECTED AND CONFORM TO THE DRAWINGS AND PURCHASE ORDER REFERENCED ABOVE.

G.F.I. Q.C. REP.



CERTIFICATIONS

FRAUD AND FALSIFICATION STATEMENT

The recording of false, fictitious or fraudulent statements or entries on this document may be punished as a felony under statutes including federal law. Title 18 chapter 47.

CERTIFICATE OF COMPLIANCE

This certificate of compliance certifies that the material supplied on the purchase order number below complies in all respects with the material description and procurement specifications.

MERCURY FREE STATEMENT

TW Metals certifies that the supplies furnished under this contract contain no metallic mercury or mercury compounds, and have not come in contact with mercury or alpha bearing instruments while in the possession of TW Metals Inc.

Customer Name:	TFI, Inc
Purchase Order No.:	0081448
Item number: 0001	Shipper/Invoice No.: <u>D336259</u> D
Material: 3042B	Manufacturing Mill: Wifed Performance
Specification:	Heat / Lot No. 95 /020
Size: .078	Quantity: /pc
Signature: Janie Clark	Date: 11/6/12





ORDER NO.: 03302590

FROM: CINC

PAGE 2

CUST NUMBER: 1203148 NET WGT:

SOLD TO:

GFI INC

180 AVE. LABROSSE

POINTE CLAIRE QC CANADA

CN H9R 1A1

126.000 REQ.DATE: 10/26/12 CONFIRMED

SHIP TO:

GFI INC

180 AVE LABROSSE

PIONTE CLAIR QC

CANADA

CN H9R 1A1

SALESPERSON:

TERMS:

F.O.B.:

DEANNA PIMM

1% 10 NET 30

SHIPPING POINT 0081448

CUST ORD NO.:

ROADWAY EXPRES

VIA: FREIGHT:

COLLECT

RELEASE NO. :

COLLEC

RECEIVING PHONE: 514 630-4877

SHIP BY: 10/23/12 7640 REINHOLD DR

CINCINNATI

OH 45237

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These and China consists of manufactured wood products and complies with the suropean emergency measures for coniferous non-manufactured wood packing saterial"

Sectronically Generated Certificate-Valid without signature Date: 10/24/12

hese commodities have been exported from the United States in accordance ith the U.S. export control laws, export administrations regulations. iversion contrary to U.S. law prohibited.

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

NOTIC PACK		PM	ENT/

AL 6108-4 1211

CLIST, OND NO & DATE PRODUCT CODE MILL ORDER NUMBER DATE SIGHTEU 07/06/12 110977 VANDERGRIFT, PA. 549038 BOYT CONTRACT 13020102060000 30-072-063 FORMS DISTRIBUTION REPEAT DO PRI-ORDER RATE ORITY 82037-9 26 1 SHIP MATL SHIPPING LOCATION INVOICE 11124 VANDERGRIFT SOLD TO PRIME SEC. SHIP TO UNITED PERFORMANCE METALS DSO. DSO UNITED PERFORMANCE METALS 3475 SYMMES ROAD 516 3475 SYMMES ROAD HAMILTON OH 45015 HAMILTON OH 45015

GRADE AND SPECIFICATIONS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 2248G) (AMS 5511H) (AMS 5513J) (AMS 5516P) (ASTM-A-262-10 PRA E/SCREEN PRA A) (ASTM-A-666-10) (S-400 DTD 10/10/2011) (ASTM-A-240-12) (S-1000 DATED 8/1/2011) (ASME-SA-240 ED 2010) (10/11/10 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (EN 10028-7:2007-1.4301-2B) (EN 10028-7:2007-1.4307-2B) (PWA 300 REV BK) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIRMENTS)

ITEM PCS DIMENSIONS W	/G/L	HEAT # COIL #	TEST # GR	OSS TARE NET THE	O TAG #/ CI	erm #
001 1 48./.080/1394 C CUST IDENTITY 007	4. 18	951020 07212N070		810 50 18760	879769	
HEAT 951020 TEST LOCATION CHBCK 8795762	CMN .027 1.71 MI MI .026 1.72	PSS .035 .0005 .45 MI MI MI .034 .001 .44		MOCU .39 .48 .0 MI MI MI		TW METALS MULCIAS AS AS AS AS AUG 30, 2012
TEST LOCATION ITEM TEST NO 001 8795762	PSI * P	TC TC TC SILE % BLONG SI IN 2" % R/A	TC TC	TC TC TC CORROSION GRAIN A 262 PR E SIZE		EY ACCEPTED BY
TEST LOCATION	TC TC	000. 62. 8 TC T OFFSET METHOD	1.HRBW	TC TC		
ITEM TEST NO 001 8795762		MELT T-YIELD	P&W E-25 TRAN BEND 2.	REVIE	WED BY Q.C.	

TEST LOCATION

PAGE 01 - CONTINUED ON PAGE 02
CONSIGNEE- Press bird-1 his consignment was turned over to
revice in first foxus conciling, being parametry backed, at windst trans
our responsibility four loss or derruge in Asippment consect for your supplied to your Programment. CONSIGNEE. Please halfor—This consignment was turned over to provide it rate that conditions before a construction of the consignment was turned over to provide it rate that conditions before a construction of the construction

TC

CUST. ORD. NO. & DATE

01.021.046 FORMS DISTRIBUTION

HAMILTON

SOLD TO

UNITED PERFORMANCE METALS

3475 SYMMES ROAD

NOTICE OF SHIPMENT **PACKING LIST**

07/06/12 110977 | VANDERGRIFT, PA.

CUST, COME

SHIPPER NO. 549038 13020102060000 30-072-063 108/09/12 1124 VANDERGRIFT SHIP TO

UNITED PERFORMANCE METALS 3475 SYMMES ROAD

OH 45015

GRADE AND SPECIFICATIONS "ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 2248G) (AMS 5511H) (AMS 5513J) (AMS 5516P) (ASTM-A-262-10 PRA E/SCREEN PRA A) (ASTM-A-666-10) (S-400 DTD 10/10/2011) (ASTM-A-240-12) (S-1000 DATED 8/1/2011) (ASMB-SA-240 ED 2010) (10/11/10 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (EN 10028-7:2007-1.4301-2B) (EN 10028-7:2007-1.4307-2B) (PWA 300 REV BK) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIRMENTS)

METALLOGRAPHIC MAGNIFICATION: 100X ETCHANT USED: OXALIC ACID

OH 45015

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

FLAT NON-WELDED TEST PIECE WAS USED FOR ISO 3651-2 INTERGRANULAR CORROSION TEST. TI SENSITIZATION HEAT TREATMENT WAS PERFORMED ON LOW CARBON AND STABILIZED GRADES.

ACCEPTING MIL

DSO

REPEAT DO PRI-ORDER RATE ORITY 82037-9 26

PRIME SEC.

DSO .

DIN EN 10204:2005 - 3.1 ATI ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC.

MATERIAL WAS SOLUTION ANNEALED AT 1900F (1038C) MINIMUM FOR A TIME COMMENSURATE WITH THICKNESS A RAPIDLY COOLED WITH AIR AND WATER.

ATI ALLEGHENY LUDLUM DOES NOT USE MERCURY IN THE TESTING OR PRODUCTION OF ITS PRODUCTS.

NO WELDS/WELD REPAIRS PERFORMED.

WESTMORELAND MECHANICAL TESTING & RESEARCH, YOUNGSTOWN, PA (T7869) IS A GEAE S400 AND ISO/IEC 1702

TW METALS M49383576

AL 6168-4 1211

AUG 30 2012

PAGE 02 - CONTINUED ON PAGE 03

PAGE 0.2 - CONTINUED ON PAGE 0.3

CONSIGNER: Possa Netro. This consignment was surred over to carried in fay draw, controlled, being controlled, address, of which in the controlled of the cont

Storage Work - Charley Assurance

NOTICE OF SHIPMENT! PACKING LIST

MILL ORDER NUMBER 07/06/12 110977 | VANDERGRIFT, PA. 549038 13020102060000 | 30-072-063 REPEAT DO PRI-COVT CONTRACT SHIPPING LOCATION 82037-9 26 1124 VANDERGRIFT SOLD TO PRIME SEC. SHIP TO UNITED PERFORMANCE METALS DSO UNITED PERFORMANCE METALS 3475 SYMMES ROAD 516 3475 SYMMES ROAD HAMILTON HAMILTON OH 45015

GRADE AND SPECIFICATIONS CARRIER - GROSS, RONALD, INC. "ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 224BG) (AMS 5511H) (AMS 5513J) (AMS 5516P) (ASTM-A-262-10 PRA E/SCREEN PRA A) (ASTM-A-666-10) (S-400 DTD 10/10/2011) (ASTM-A-240-12) (S-1000 DATED 8/1/2011) (ASME-SA-240 ED 2010) (10/11/10 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (EN 10028-7:2007-1.4301-2B) (EN 10028-7:2007-1.4307-2B) (PWA 300 REV BK) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIRMENTS)

THIS DIN EN 10204:2005 - 3.1 CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATT AL HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025 MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI AL QUALITY MANUAL REVISION 20 DATED 02/24/2012.

ATI ALLEGHENY LUDLUM WORKS TO THE ROLLS ROYCE SABRE QUALITY MANAGEMENT SYSTEM.

QUALITY SYSTEM CERTIFIED ACCORDING TO PRESSURE EQUIPMENT DIRECTIVE 97/23/EC, ANNEX I, 4.3 BY TUV SUD, INDUSTRIE SERVICE GMBH, (NOTIFIED BODY 0036).

ATI ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES: C, S BY COMBUSTION/INFRARED N, O, H BY INERT FUSION/THERMAL CONDUCTIVITY MN, P, SI, CR, NI, MO, CU, CB, CO, V BY WDXRF B BY OES

AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES PB, BI, AG BY GFAA

MATERIAL TESTED AT ATI ALLEGHENY LUDLUM GEAE S400 APPROVED FACILITIES (T1225 & T9317): NATRONA HEIGHTS, PA TECHNICAL CENTER; BRACKENRIDGE, PA AND NEW BEDFORD, MA.

TW METALS AUG 30 2012 ACCEPTED BY

PAGE 03 - CONTINUED ON PAGE 04

CONSIGNEE. Pacse Nutr This cortainment was turned over to control that the scorolion, being correctly handed, at which time control that the scorolion control that the scorolion

NOTICE OF SHIPMENT/ PACKING LIST Allegheny Ludium

Allegheny Technologyas

CERTIFICATE OF TEST

AL 6168-4 1:

CUST, ORD, NO. & DATE: CUST, CODE PRODUCT CIXXE 07/06/12 110977 | VANDERGRIFT, PA. 01021046 549038 113020102060000 |30-072-063 108/09/12 FORMS DISTRIBUTION REPEAT DO PRI-ORUER RATE ORITY 82037-9 26 GOVT CONTRACT MATL. SHIPPING LOCATION INVOICE 1124 VANDERGRIFT SOLD TO PRIME SEC. SHIP TO UNITED PERFORMANCE METALS DSO DSO UNITED PERFORMANCE METALS 3475 SYMMES ROAD 3475 SYMMES ROAD HAMILTON HAMILTON OH 45015

GRADE AND SPECIFICATIONS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 2248G) (AMS 5511H) (AMS 5513J) (AMS 5516P) (ASTM-A-262-10 PRA E/SCREEN PRA A) (ASTM-A-666-10) (S-400 DTD 10/10/2011) (ASTM-A-240-12) (S-1000 DATED 8/1/2011) (ASME-SA-240 ED 2010) (10/11/10 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (EN 10028-7:2007-1.4301-2B) (EN 10028-7:2007-1.4307-2B) (PWA 300 REV BK) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIRMENTS)

ATI ALLEGHENY LUDLUM HOLDS SEVERAL QUALITY AND LABORATORY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, AD 2000-MERKBLATT WO, BU PRESSURE EQUIPMENT DIRECTIVE 97/23/EC, NADCAP, ISO/BIC 17025, GEAE S400, GEAE S-1000 REFER TO WWW.ALLEGHENYLUDLUM.COM TO ACCESS THE CURRENT ATI AL QUALITY CERTIFICATIONS.

THE NUMERIC CODES SHOWN UNDER MELT SOURCE CAN BE INTERPRETED AS FOLLOWS:

- 1. MATERIAL MELTED, ROLLED AND TESTED IN THE UNITED STATES.
- 2. FOREIGN MELT; ROLLED AND TESTED IN THE UNITED STATES.

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS:
MI = ATI-ALLEGHENY LUDLUM; 950 TENTH STREET; MIDLAND, PA 15059
TC = ATI-ALLEGHENY LUDLUM; 1300 PACIFIC AVENUE; NATRONA HEIGHTS, PA 15065

TW METALS

MUTTASSASTO

B

AUG 30 2012

O

T

ACCEPTED BY

ISSUED BY ATI ALLEGHENY LUDLUM - 08/10/2012 08:20 CARRIE MCFALL - QUALITY ASSURANCE DEPT.

PAGE 0.4 - FINAL PAGE.

CARRIE

NISIONEE-Proces factor-fine consignment was loured even in the first of that dissect condition, being concept headed, at wheth time in fast dates condition, beginned to consider a white first of the fast condition of the content of the many of conditions of the condition of the c

Makrius Sartery One. Sheets for this product have been a supplied towns Princhards Deservined. For an additional copy of performant charge das adults. Pour obtains due seamplaites supplementaires prince 724–225–5880. CAUTON Princesding that makes forms, cut-, a solutions may cause long players. See Makrius to interest, cut-, a solution may cause thing players. See Makrius to interest the product of the principle of the principl

The above is a true copy of cala crible. The malanel and lost insude conform to the sales confeet and specification(s) as sollows an Alleghory Ludium's Order August Modernation.

Stephen World - Stephen Assurance



180 AVENUE LABROSSE POINTE-CLAIRE, QC, CANADA H9R 1A1 TÉL.:(514) 630-4877 - FAX:(514) 630-4849



BON DE LIVRAISON / SHIPPING MEMO

****					, ,	
DATEDELIV	RAISONISHI	PPINGDATE	M*DEBONÆELIVRAISON		***	3
SR DY	MO MO	AN YR	SHIPPING MEMONO		AGE	ä
000000000000000000000000000000000000000	000000000000000000000000000000000000000	308093860000000		3505.990	25/1900/2602	2 .
15	0.5	1.3	0513566	1 7	/1	
	. 05	10	0313300	1 -	/ -	

GFI est une division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing inc.

VENDU À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 EXPÉDIÉ À / SHIP TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

	CODEDECHENT CUSTOMER CODE	N° DE CONTRAT MOBINO	VC YOU	RREIN' DE COMMANDE PURCHASE OFDERNO SHIP VIA
DART	GFI-0299	0267759		PO19701
QUANTITE QUANTITY		N° DE PIÈCE PART NO		DESCRIPTION STREET,
4	D4060-1P			SKI CLAMP TOP
				ITEM 1
				C OF C REQ'D
	302576	30-00 \ 512-00 \ ot	2 pcs.	
	MFG. JOB# 1025 6	<u>5~2~∞\ от</u>		
	DUE DATE: 10 MO	2013		
	Add	Bane o		
	0	0001: 0001:		
• • • • •				·
			,	
			· .	
		•		
•			•	
		•		
			.* .	
		·	· •	
			٠.	
		Same service ()		EXPEDITEUR. IN DEBON DEILURAISON

CERTIFICATE OF COMPLIANCE **CERTIFICAT DE CONFORMITE**



180 LABROSSE AVENUE POINTE CLAIRE, QC H9R 1A1

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

CERTIFICATE NO. 4 OUR JOB NO	J0267759	SHIPPING ME	MO 0513566	
ITEM QUANTITY PURCHASE ORDER	PART NUMBER	REV	NAME	DWG ISSUE
1 4 PCS PØ19701	D4060-1P	A	SKI CLAMP TOP	A
MATERIAL	SUPPLIED BY LS/NORTH AMERICA	N STAINLESS D	MAT. RI	EL. NO. BVX7
AMS 5513	Activities and the second of t			
PROCESS FIRST ARTICLE INSPECTION REPOR	T ON FILE		CESSOR GFI	RELEASE NOTE #
2 REF. GFI MANUFACTURING JOB NUMBER 30257630-001 (2 PCS)	AND J0256522-001 (2 PCS).		GFI	NA S
3				
4				
5				
6.				
7				
8				
9				

WE HEREBY CERTIFY ALL THE PARTS COVERED BY THIS CERTIFICATE HAVE BEEN MANUFACTURED FROM MATERIAL SUPPLIED ON RELEASE NOTE SHOWN ABOVE AND THAT ALL PARTS HAVE BEEN INDIVIDUALLY INSPECTED AND CONFORM TO THE

G.F.I. Q.C. REP.

DRAWINGS AND PURCHASE ORDER REFERENCED ABOVE.

DATE 15 MAY 2013

DP12-001 REV 0 Bombardier Certificate of Compliance TW Metals District Procedure

Revision: 0

Revision Date: 04-03-00

Superseding: Initial

Page: 1 of 1

CERTIFICATE OF COMPLIANCE

FRAUD AND FALSIFICATION STATEMENT

The recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal statutes including federal law. Title 18 chapter 47.

CERTIFICATE OF COMPLIANCE

This certificate of compliance certifies that the material supplied on the purchase order number below complies in all respects with the material description and procurement specifications.


MERCURY FREE STATEMENT

We cartify that mercury, radium, or alpha bearing instruments and / or equipment which might cause contamination have not been used in the manufacture, fabrication, assembly or testing of any material supplied by TW Metals Inc. Switches, glass thermometers, standard cell and other items containing the above elements may be used, but they will be located so as not to constitute a contamination hazard.

PURCHASE ORDER No	CUSTOMER NAME:	the inc
MANUFACTURING MILL: North American Standards SIZE: . 078" 082" HEAT/LOT NO. 8V X 7 PART NO. TS 080481204A QUANTITY: 1PC	PURCHASE ORDER No.	0079143
MANUFACTURING MILL: North American Standards SIZE: . 078" 082" HEAT/LOT NO. 8V X 7 PART NO. TS 080481204A QUANTITY: 1PC	ITEM NO. 000)	SHIPPER INVOICE No. 12 0 93224
SIZE: . 078" 082" HEAT/LOT NO. 8V X 7 PART NO. TS 080487204A QUANTITY: [PC		
PART NO. TS 080487204A QUANTITY: 1PC	MANUFACTURING MILL:	th American Staulers
	SIZE: . 078" 082"	HEAT/LOT No. 8V X7
TEST DEPARTMENT CLERK Jasiee Clark	PART NO. 15080481204A	QUANTITY: PC
	TEST DEPARTMENT CLERK	arice Clark

AUTHORITY

Joe Schab Director of Quality Assurance



METALLURGICAL TEST

6870 Highway 42 East Chent, RY 41045-9615 (502) 347-6000

Certificate: 633324 02 Customer: 0018 001

Mail To: UNITED PERFORMANCE METALS J475 SYNOMES ROAD HAMILTON, OH 45015

Ship To: UNITED PERFORMANCE METALS 3475 SYNOWS ROAD HAMILTON, OH 45015

4/04/2011

Pago: 7

Steel: 302/304/304L

Your Order: 01018125

MAS Order: AN 0471941 01

Finish: 28

Corresion: ASTM A262/02RE; 180Bend-OR

PRODUCT DESCRIPTION:

S/S COIL. C.R.ANNEALED & PICKLED; UNS 30400/30403/30200 ASTR A240/10, A480/10, A666/10; ASME 5A240/10, SA480/10, SA666/10 CHEM ONLY ON FOLLOWING ASTN: A276/10, A479/108, A484/10, A312/09 CHEM ONLY ON FOLLOWING ASHE: SA312/10.5A479/10 AMS 5511H/5513J/5516P XMRK; MIL-9-5059D AMD3(X CRN NEAS); MIL-4043B NACE MR0175/01, MR0103/07; QQS766D-A K MAG PERM MIN, SOLUTION ADVEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs. EN 10204:2004 3.1; QQS763P Cond A; RoHS Compliant Material is Free of Radioactive Contamination NAS Steel Making Process; EAP, AOD, & Cont. Casting Product Mfg.by a Quality Mgt. Sys. in Conf. w/190 9001 *Melted & Manufactured in the DSA; Mat'l is DFARs Compliant

	63.01	nickness Width Weight	Na	rle ni		
. 1	038VX7 B . 038VX7	0830 40 0000	COIL 2112.2	.1	COMMODITY CODE	

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa)

	HEAT Supp	PAT Supplier# CM C					(openy Os	Conned States) ZA(South	ZA(South Africa) JP(Japan)						
	8VX7 8VX7		US	.0230	CR	Ċū	NOI	MO	M	ni	P				3 2 5	
		· · · · ·	-		18.4720	-4450	1.8145	5325	.0825	8.1345	.0370	.0010	<u> </u>			1
				SI				· · · · · · · · · · · · · · · · · · ·								l
٠ (2080		\		1 ×		**.						1

MECHANICAL PROPERTIES

1		····	, A							-	,		
	,	n]in- va	0 1	UTS KBI	.2% YS RSI	ELONG %-2*	Hard RB	Tail	Grain No.				
	038VX7 B 038V	: ממי	PT	94.88	47.28	47.79	86.00		10.00			·	

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

DULL DECC

4/04/2011